

ROMAX® 4000



Masin? de sertizat electrohidraulic?, cu acumulator sau alimentare retea, pentru presarea fitingurilor de diferite sisteme, pâna la Ø 110 mm cu 32 kN

Rating: Not Rated Yet

Price:

Variant price modifier:

Base price with tax:

Price with discount:

Salesprice with discount:

Sales price:

Sales price without tax:

Discount:

Tax amount:

[Ask a question about this product](#)

Descriere

CARACTERISTICI

Presare : ROMAX® 4000

Dimensiuni: 468/447 x 125 x 75 mm

Greutate: cca. 3,6 kg (fără cap de presare)

Forța de apăsare: 32 kN

Diametre: Ø 12 - 110 mm

Rotirea capului de presare: 270°


Acumulator: Li-Ion 18 V / 4 Ah

Temperatura de lucru: -10° C până la 60° C

Numărul de cicluri: până la 160 presări (28 mm oel inox) 90 presări (54 mm oel inox)

Intretinerea la intervale de: 40.000 cicluri / 2 ani

Model si accesorii

Model	 Cod
ROMAX 4000 Set Basic in cutie cu acumulator Li-Ion (18V/4,0 Ah) si incarcator	3,6 1000 0018 40

Reviews

There are yet no reviews for this product.